

MATERIAL SAFETY DATA SHEET

AMINE, STORAGE AREA: WAREHOUSE

Page: 1

PRODUCT CODE: DriTac MCS 7000 Component B

HMIS CODES: H F R
3 1 1

SECTION I - MANUFACTURER IDENTIFICATION

MANUFACTURER'S NAME: DriTac Adhesive Group
ADDRESS: 59 Ingraham Street, Brooklyn, NY 11237
EMERGENCY PHONE: (800)-424-9300
EFFECTIVE DATE: 08/07/01
INFORMATION PHONE: (718) 497-5200

SECTION II - HAZARDOUS INGREDIENTS/SARA III INFORMATION

REPORTABLE COMPONENTS	CAS NUMBER	VAPOR PRESSURE mm Hg @ TEMP	WEIGHT PERCENT
CYCLOALIPHATIC AMINE MIXTURE NONE ESTABLISHED	MIXTURE	<10.34 21 C	41 - 50*
MODIFIED POLYAMIDE NONE ESTABLISHED	MIXTURE	6 70F	

IF THIS PRODUCT CONTAINS PARTICULATES (FILLERS), THEY ARE BLENDED INTO A LIQUID AND POSE NO HAZARD AS SUPPLIED. THEY MAY HOWEVER BE RELEASED IF FINAL PRODUCT IS MACHINED, I.E. SANDED, CUT, ETC. THESE INGREDIENTS ARE LISTED BELOW.

NONE

INFORMATION CONCERNING ITEMS LISTED AS PROPRIETARY WILL BE DISPENSED TO HEALTH AND SAFETY PROFESSIONALS AS REQUIRED BY 29CFR 1910.1200 (OSHA HAZARD COMMUNICATIONS STANDARD).

*RSCA INVENTORY STATUS: ALL COMPONENTS OF THIS PRODUCT ARE LISTED ON THE TSCA INVENTORY.

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

BOILING RANGE : NOT DETERMINED. **SPECIFIC GRAVITY (H20=1): 1.0148**
VAPOR DENSITY : NOT DETERMINED. **EVAPORATION RATE: NOT DETERMINED.**
COATING V.O.C. : 0.0 lb/gl **MATERIAL V.O.C. : 0.0 lb/gl**
SOLUBILITY IN WATER: NOT DETERMINED.
APPEARANCE AND ODOR: REFER TO PRODUCT BULLETIN.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT: 205 P **METHOD USED: PMCC**
FLAMMABLE LIMITS IN AIR BY VOLUME - **LOWER: N/A UPPER: N/A**

EXTINGUISHING MEDIA: WATER, CARBON DIOXIDE, FOAM OR DRY CHEMICAL.

SPECIAL FIREFIGHTING PROCEDURES

WHEN FIRE FIGHTING, WEAR FULL PROTECTIVE EQUIPMENT INCLUDING SELF-CONTAINED BREATHING APPARATUS.

UNUSUAL FIRE AND EXPLOSION HAZARDS

NONE

MATERIAL SAFETY DATA SHEET

AMINE, STORAGE AREA: WAREHOUSE

Page: 2

SECTION V - REACTIVITY DATA

STABILITY: STABLE

CONDITIONS TO AVOID EXCESSIVE HEAT.

INCOMPATIBILITY (MATERIALS TO AVOID)

ACIDS, ACID CURING AGENTS AND EPOXY RESINS. AVOID MINERAL ACIDS AND OXIDIZING AGENTS.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS

CARBON DIOXIDE, CARBON MONOXIDE AND NITROGEN OXIDES. MAY PRODUCE NITRIC ACID IN A FIRE SITUATION. NITROGEN OXIDE CAN REACT WITH WATER VAPORS TO FORM NITRIC ACID.

HAZARDOUS POLYMERIZATION: I MAY OCCUR WILL NOT OCCUR

SECTION VI - HEALTH HAZARD DATA

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

INHALATION MAY CAUSE IRRITATION IN THE RESPIRATORY TRACT. COUGHING AND CHEST PAIN MAY RESULT.

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE

LIQUID MAY CAUSE EYE INJURY AND SEVERE PAIN. SKIN CONTACT MAY CAUSE DISCOMFORT, PAIN, REDNESS, ITCHING, OR DERMITITIS.

SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

SKIN ABSORPTION MAY BE HARMFUL. MAY CAUSE SKIN SENSITIZATION OR OTHER ALLERGIC RESPONSES. MAY CAUSE PAIN, ITCHING, DISCOMFORT OR DERMITITIS.

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

HARMFUL IF SWALLOWED. IMMEDIATELY GIVE 2-4 GLASSES OF WATER OR MILK. DO NOT INDUCE VOMITING. MAY CAUSE BURNING IN MOUTH, THROAT AND STOMACH WITH NAUSEA, VOMITING AND DIARRHEA.

HEALTH HAZARDS (ACUTE AND CHRONIC)

MAY BE IRRITATING TO EYES, SKIN AND MUCOUS MEMBRANES. MAY CAUSE REDNESS, SWELLING, DERMITITIS OR CHEMICAL BURNS. PROLONGED CONTACT OR VAPOR OVEREXPOSURE MAY CAUSE ALLERGIC REACTIONS, SENSITIZATION, COUGHING OR SORE THROAT.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE

ASTHMA, CHRONIC RESPIRATORY DISEASE (E.G. BRONCHITIS OR EMPHYSEMA), SKIN DISORDERS AND ALLERGIES.

EMERGENCY AND FIRST AID PROCEDURES

IN CASE OF CONTACT, REMOVE CONTAMINATED CLOTHING AND IMMEDIATELY FLUSH SKIN OR EYES WITH COPIOUS AMOUNTS OF WATER FOR 15 MINUTES. GET MEDICAL ATTENTION FOR EYES. IF SWALLOWED, CALL PHYSICIAN IMMEDIATELY. IF INHALED, MOVE VICTIM TO FRESH AIR.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

VENTILATE AREA WELL. ABSORB WITH INERT MATERIAL. SWEEP OR SCOOP UP AND PUT IN DISPOSAL CONTAINERS.

WASTE DISPOSAL METHOD

INCINERATE OR BURY IN LANDFILL IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS. DO NOT INCINERATE CLOSED CONTAINERS. INCINERATION IS THE PREFERRED METHOD OF DISPOSAL.

MATERIAL SAFETY DATA SHEET

AMINE, STORAGE AREA: WAREHOUSE

Page: 3

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING

AVOID CONTACT WITH EYES, SKIN OR CLOTHING. DO NOT BREATHE VAPORS. KEEP AWAY FROM ACIDS, OXIDIZERS AND HEAT. KEEP AWAY FROM FOOD OR DRINK. KEEP DRY AND STORE IN CLOSED CONTAINERS.

OTHER PRECAUTIONS

NONE.

SECTION VIII - CONTROL MEASURES

DriTac GIVES ALL INFORMATION HEREIN CONTAINED IN GOOD FAITH. DUE TO DIFFERENT APPLICATIONS, THE END USER SHOULD MAKE THE FINAL DETERMINATION AS TO THE PROPER EQUIPMENT AND CONTROLS TO BE USED WITH THIS PRODUCT.

RESPIRATORY PROTECTION

ORGANIC VAPOR RESPIRATOR, IF VENTILATION IS INADEQUATE.

VENTILATION

LOCAL EXHAUST.

PROTECTIVE GLOVES

NEOPRENE RUBBER, NITRILE RUBBER OR PVC.

EYE PROTECTION

GLASSES WITH SIDE SHIELDS, CHEMICAL SPLASH GOGGLES AND/OR FACE SHIELD.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT

COVERALLS APRON. SAFETY SHOWER AND EYE WASH STATION.

WORK/HYGIENIC PRACTICES

WASH AT THE END OF EACH WORKSHIFT AND BEFORE EATING, DRINKING, SMOKING OR USING THE RESTROOM. PROMPTLY REMOVE CLOTHING THAT BECOMES CONTAMINATED. EXAMINE PROTECTIVE GLOVES BEFORE USING. LAUNDRY OR PROPERLY DISPOSE CONTAMINATED CLOTHING ARTICLES.

SECTION IX - OTHER INFORMATION

THE INFORMATION HEREIN IS GIVEN IN GOOD FAITH, BUT NO WARRANTY EXPRESSED OR IMPLIED IS MADE. DriTac URGES USERS OF THIS PRODUCT TO EVALUATE ITS SUITABILITY AND COMPLIANCE WITH LOCAL REGULATIONS AS DriTac CANNOT FORESEE THE FINAL USE OF THE PRODUCT, NOR THE FINAL LOCATION OF USAGE.