









**CARATTERISTICHE TECNICHE
 TECHNICAL CHARACTERISTICS
 CARACTERISTIQUES TECHNIQUES
 TECHNISCHE EIGENSCHAFTEN
 CARACTERISTICAS TECNICAS**

	DESCRIZIONE	NORMA	VALORI EMILCERAMICA
	RESISTENZA ALLA FLESSIONE Nw/mm ² (Bending strenght - Biegefestigkeit - Résistance à la flexion – Resistencia a la flexion)	UNI EN ISO 10545/4	45
	CARICO DI ROTTURA N (Breaking load – Bruchlast – Charge de rupture – Carga de rotura)	UNI EN ISO 10545/4	1800
	ASSORBIMENTO D'ACQUA (Water absorption – Wasseraufnahme– Absorption d'eau – Absorción de agua)	UNI EN ISO 10545/3	< 0,3%
	RESISTENZA ALL'ABRASIONE (Resistance to abrasion – Abriebfestigkeit – Résistance à l'abrasion – Resistencia a la abrasion)	UNI EN ISO 10545/7	PEI 4
	RESISTENZA AGLI SBALZI TERMICI (Thermal shock resistance – Temperaturwechsel-beständigkeit – Résistance aux écarts de température – Resistencia los saltos de temperatura)	UNI EN ISO 10545/9	RESISTE
	RESISTENZA AL GELO (Frost resistance – Frostbeständigkeit – Résistance au gel – Resistencia a las heladas)	UNI EN ISO 10545/12	RESISTE
	RESISTENZA ALLE MACCHIE PULIBILITÀ (Stain resistance – Fleckenbeständigkeit – Résistance aux taches – Resistencia a las manchas)	UNI EN ISO 10545/14	RESISTE
	SCIVOLOSITÀ (Slip level – Rutschfestigkeit – Coefficient de glissement – Coeficiente de atrito medio)	B.C.R.A. – DIN 51130	R9